



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

code session id url

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 3,760,000 for code session id url. (0.08 seconds)

Web Q&A: ASP.NET Session State, Validation, DataGrids, and More ...

If you're using cookieless **session** state, the server appends the **ID** to the **URL**. ... To persist the **session ID**, store it in an in-memory cookie (which is the ...
[msdn.microsoft.com/msdnmag/ issues/05/11/WebQA/default.aspx](#) - 32k - Nov 8, 2005 -
[Cached](#) - [Similar pages](#)

Sponsored Links

Url Code

Free **url code** info
Find what you're looking for!
[www.plexxa.com](#)

Removing session ID's from the URL

Removing **session ID's** from the **URL**. Answer: ... Add the following new lines so that the above **code** looks like this (please follow exact indentation): ...
[www.ultraseek.com/support/faqs/1037.html](#) - 8k - [Cached](#) - [Similar pages](#)

mtdev » Why You Should Disable PHP's session use_trans_sid

I have this in the first lines of my php **code**: **//Session ID should not be ...** If you prefer to use **url** rewriting for your **sessions**, but wish to make your ...
[www.mt-dev.com/2002/06/ why-you-should-disable-phps-session-use_trans_sid/](#) - 27k -
[Cached](#) - [Similar pages](#)

Session Handling in MIDP

This **code** is probably setting off alarm bells in your head. ... The server can rewrite the **URL** to embed the **session ID** in the link, this way: ...
[developers.sun.com/techtopics/ mobility/midp/articles/sessions/](#) - 36k -
[Cached](#) - [Similar pages](#)

PHPLib:Manual: Session Instance methods

If in get mode, the current **session id** is attached to this **URL**, ... and writes the resulting **code** into the database, tagged with the current **session id** and ...
[www.sanisoft.com/phplib/manual/sessionMethods.php](#) - 28k - [Cached](#) - [Similar pages](#)

Session Management in ASP.NET - The Code Project - ASP.NET

Thus the **session ID** is passed to and fro in every request and response. ... For eg consider the following **URL** on a page: **<body > <form id="form1" ...**
[www.codeproject.com/Purgatory/ SessionManagementAspNet.asp](#) - 40k - Nov 8, 2005 -
[Cached](#) - [Similar pages](#)

Session tracking options: WebSphere Application Server

When using the **SSL session ID** as the **session** tracking mechanism in a cloned ... The cookie or rewritten **URL** contains **session** affinity information that ...
[publib.boulder.ibm.com/infocenter/wasinfo/ v5r1/topic/com.ibm.websphere.base.doc/info/aes/ae/rprs_sesd.html](#) - 8k -
[Cached](#) - [Similar pages](#)

Choose a session tracking method

In such cases, the **Session** Manager must resort to a second method, **URL** ... The Web container recognizes **jsessionid=DA32242SSGE2** as the **session ID** and saves ...
[publib.boulder.ibm.com/infocenter/ iseries/v5r3/topic/rzatz/51/program/sesdeci.htm](#) - 8k -
[Cached](#) - [Similar pages](#)

How to refresh Session ID?

Code Comments. Programming Forum and web based access to our favorite ... YMMV - I personally am not a big fan of having the **sessionid** in the **url**. ...
[www.codecomments.com/ASP_.NET/message654706.html](#) - 25k - [Cached](#) - [Similar pages](#)

using ; in an url (problem using menu with jsp and struts)

Searching for **PHRASE web crawler session identifier url url rewriting heuristics rules**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. **Order: relevance to query.**

[Providing Scalable Web Services Using Multicast Communication - Clark, Ammar \(1995\)](#) (Correct) (21 citations)

Providing Scalable **Web** Services Using Multicast Communication Russell identified by their Universal Resource Locators (**URLs**) 7] which identify a server and a path to the www.cc.gatech.edu/fac/Mostafa.Ammar/webjournal.ps.Z

[Haskell-style Overloading is NP-hard - Volpano](#) (Correct)

to at most one the number of assumptions per **identifier** in a type context, a limitation noted by Milner

1.1 Satisfiability Two new type assignment **rules**, 8-intro) and (8elim) given in Figure 1, postfix form. Observe that when C is empty the two **rules** reduce (8-intro) A [C `M :0 A `C[ff : www.cs.nps.navy.mil/research/languages/papers/atcsc/iccl94.ps.Z

[Parallel Hybrid Meta-Heuristics: Application to the.. - Bachelet, Preux, Talbi \(1996\)](#) (Correct) (6 citations)

Parallel Hybrid Meta-**Heuristics**: Application to the Quadratic Assignment www.lifl.fr/~talbi/poc96.ps

[Timer Reconsideration for Enhanced RTP Scalability - Rosenberg, Schulzrinne \(1997\)](#) (Correct) (20 citations)

"Multimon -an ipmulticast monitor, The MultiMON **web** page can be found at Time Control Protocol (RTCP)is used for loose **session** control, QoS reporting, and media To do this, RTP packets contain payload type **identifiers**, sequence numbers, end-of-frame markers, and www.cs.columbia.edu/~jdrosen/papers/infocom_recon_camera.ps

[Evangelos P. Markatos, Christina Tziviskou, and Athanasios.. - Institute Of \(1998\)](#) (Correct)

Computing in Education (AACE)Distributed via the **Web** by permission of AACE. The paper appears in focuses on guiding users during a research **session**, USEwebNET focuses on keeping users up-to-date flood the users with an overwhelming number of **URLs**. If a user wants to stay up-to-date on some issue www.ii.uib.no/~markatos/avg/papers/1998.WEBNET.ps.gz

[A Multi-Agent System for Distributed Information Retrieval on ... - Clark, Lazarou \(1997\)](#) (Correct)

Distributed Information Retrieval on the World Wide **Web** Keith L. Clark and Vasilios S. Lazarou Logic through all the information sources, represented as **URLs**. These can be **URLs** of the top-level **web** pages of stops when all the pages have been traversed. One **heuristic** that the extractor uses during the laotzu.doc.ic.ac.uk/UserPages/phd/vl3/Final/wetice97.ps.gz

[PLINTH, HTML and the World Wide Web - Casson \(1994\)](#) (Correct)

Institute PLINTH, HTML and the World Wide **Web** Andrew Casson AIAI-PR-56 July 1994 Artificial by means of a universal resource locator, or **URL**. Full details of **URL** syntax are available in [10] revision number, and so on. PLINTH also includes a **rule**-based network traversal tool, which provides the www.aiai.ed.ac.uk/project/plinth/html.ps.gz

[Supporting Multi-User, Multi-Applet Workspaces in CBE - Lee, Prakash, Jaeger, Wu \(1996\)](#) (Correct) (3 citations)


in Java and can be run from a Java-enabled **Web** browser. Keywords Groupware, CSCW toolkits, because their state persists across synchronous **sessions**. Room participants may have different roles in a version) mechanisms to save the applet **identifier**, its applet-group name, and its state with the ftp.sunet.se/pub2/groupware/DistEdit/papers/cscw96_cbe.ps.gz

[Sirocco: Cost-Effective Fine-Grain Distributed ... - Schoinas, al. \(1998\)](#) (Correct) (6 citations)

information to our FTP site: pub/incoming/cspress/Web-pprs and we will send it on to the Copyrights must provide the IEEE with the electronic address (**URL**, FTP address, etc.of the posting. For your www.ece.purdue.edu/~babak/papers/pact98.ps

[Secure Web Scripting - Anupam \(1998\)](#) (Correct) (1 citation)

Secure **Web** Scripting Vinod Anupam Alain Mayer Bell subsequently reports back all **Web** activity -**URLs** visited, private data supplied by the user in a www.bell-labs.com/user/alain/papers/journal.ps.gz



Web

Results 1 - 10 of about 533,000 for **extract URL session identifier rule**. (0.20 seconds)

Design Guidelines for Secure Web Applications (.NET Framework ...

Cookies may contain sensitive data such as **session identifiers** or data that is ... For example, the referer field in the header contains the **URL** of the Web ...
msdn.microsoft.com/library/ en-us/dnnetsec/html/THCMCh04.asp - 78k - [Cached](#) - [Similar pages](#)

Sun ONE Portal Server 3.0 Rewriter Configuration and Management Guide

Rule extraction from Web applications that will be accessed through the ... As such, the following is a good **rule** of thumb for determining raw **URLs** in ...
www.phptr.com/articles/article.asp?p=29294&seqNum=6 - 51k - [Cached](#) - [Similar pages](#)

HTTP Bridge

processQueries, **extract** queries from the **URL** and supply as a name-value-pair param ... <value>This is some **session identifier**</value> </cookie> </param> ...
www.1060research-server-1.co.uk/docs/ 2.0.2/book/advdev/doc_transport_HTTPBridge.html - 29k - [Cached](#) - [Similar pages](#)

iPlanet Application Server 6.5 SP1, Enterprise Edition Developer's ...

If there is a query string in the **URL**, it is **extracted** and saved. ... An HTTP **session's identifier** is a unique string which is created and maintained by the ...
docs.sun.com/source/816-5786-11/jpgSessions.html - 72k - [Cached](#) - [Similar pages](#)

A Fast Introduction to Basic Servlet Programming

These methods **extract** a previously stored value from a **session** object. ... If you are using **URL** rewriting for **session** tracking and you send a **URL** that ...
www.informit.com/articles/ article.asp?p=29817&seqNum=10 - 43k - [Cached](#) - [Similar pages](#)

Effective Web Data Extraction with Standard XML Technologies

... process needs to deal with such roadblocks such as **session identifiers**, ... Informia provides a toolkit for automatically producing **extraction rules** for ...
www.myllymaki.org/jussi/webdata/www2001.htm - 79k - [Cached](#) - [Similar pages](#)

Universal Resource identifiers in WWW

... news group names or article message **identifiers** which must conform to the **rules** ... The use of **URLs** to represent interactive **sessions** is a convenient ...
www.w3.org/Addressing/URL/uri-spec.html - 59k - [Cached](#) - [Similar pages](#)

Adapting Web Content to Mobile User Agents

Adaptation **rules** add break points, labels, and no-break segments, ... match the length constraints and prepends the document **URL** and **session identifier** to ...
doi.ieeecomputersociety.org/10.1109/MIC.2005.29 - [Similar pages](#)

Lecture 19 -- Web Transactions and Sessions

Embedding **Session** Info in **URLs**. In this technique, a unique **identifier** is ... For example, in a CGI.pm-based Perl program, we could **extract** the value of ...
ironbark.bendigo.latrobe.edu.au/ subjects/WE/lectures/w10.d/Lect19.html - 21k - [Cached](#) - [Similar pages](#)

Reference EXTRACT Blog - Directory Bug

Colors Loading Desktop addresses tool , **Session** file computer Remote , files ... **Identification** menu Keyboard Delete . File Explorer . , List Menus Line ...
quartz.syr.edu/weblog/rdlankes/NewFeatures/ ?permalink=DirectoryBug.html&page=comments - 30k - Nov 8, 2005 - [Cached](#) - [Similar pages](#)



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

+session +identifier +rule +URL +web extract remove compar

SEARCH



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before September 2002

Terms used

Found 58 of 129,894

[session](#) [identifier](#) [rule](#) [URL](#) [web extract](#) [remove](#) [compare](#) [analyze](#)

Sort results
by

relevance



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display
results

expanded form



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new
window

Results 21 - 40 of 58

Result page: [previous](#) [1](#) [2](#) [3](#) [next](#)

Relevance scale ☐ ☐ ☐ ☐ ☐

21 [Doing business in the information marketplace: a case study](#)



Jörg P. Müller, Markus Pischel

April 1999 **Proceedings of the third annual conference on Autonomous Agents**

Publisher: ACM Press

Full text available: [pdf\(1.17 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

22 [SaveMe: a system for archiving electronic documents using messaging groupware](#)



Stefan Berchtold, Alexandros Biliris, Euthimios Panagos

March 1999 **ACM SIGSOFT Software Engineering Notes , Proceedings of the international joint conference on Work activities coordination and collaboration WACC '99**, Volume 24 Issue 2

Publisher: ACM Press

Full text available: [pdf\(1.47 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Today, organizations deal with an ever-increasing number of documents that have to be archived because they are either related to their core business (e.g., product designs) or needed to meet corporate or legal retention requirements (e.g., voucher). In this paper, we present the architecture and prototype implementation of SaveMe, a document archival system that is based on network-centric groupware such as Internet standards-based messaging systems. In SaveMe, the actions of archiving, retriev ...

Keywords: Internet, archiving, groupware, messaging

23 [Software process modeling and execution within virtual environments](#)



John C. Doppke, Dennis Heimbigner, Alexander L. Wolf

January 1998 **ACM Transactions on Software Engineering and Methodology (TOSEM)**, Volume 7 Issue 1

Publisher: ACM Press

Full text available: [pdf\(232.51 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

In the past, multiuser virtual environments have been developed as venues for entertainment and social interaction. Recent research focuses instead on their utility in carrying out work in the real world. This research has identified the importance of a mapping between the real and the virtual that permits the representation of real tasks in the virtual environment. We investigate the use of virtual environments—in particular, MUDs (Multi-User Dimensions)—in the domain of softwa ...